

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47



<https://caprari.nt-rt.ru> || cir@nt-rt.ru

Скважинные электронасосы

caprari
pumping power



caprari



Ideal for

WATER SUPPLY

CONDITIONING

UNDERGROUND WATER TABLE
LEVEL CONTROL

INDUSTRY

SNOWMAKING

FIRE FIGHTING

SYSTEMS FOR GREENHOUSES,
GARDENING AND LEISURE

REVERSE OSMOSIS

A UNIQUE RANGE THE WIDEST
RANGE FOR
ALL DEMANDING
APPLICATIONS

Borehole Electric Mixed Flow pumps 6" – 8"

Innovative materials and pioneering research methods integrated into a sophisticated production processes produce the distinguishing features of the Energy series. This ensures the highest reliability and performance on the market. Machines conform to 2009/125/EC Directive (EcoDesign - ErP).

Energy



1 **VERSATILITY OF INSTALLATION**
Threaded coupling or DIN and ANSI flange options.



BEST IN CLASS EFFICIENCIES AND PERFORMANCES



2 **CAST IRON IMPELLERS**
Strong and reliable. Guaranteed duty performances thanks to impeller trimming.



3 **ADVANCED CASTING TECHNOLOGIES**
Smooth and seamless surfaces ensures continual high performance by minimizing surface resistance.



MASSIVE CONSTRUCTION OF THE COMPONENTS
High thickness ensures a long working life and wear resistance.



4 **BEARING BUSHES NEW DESIGN**
With stainless steel spring core and new lip design that avoids liquid recirculation to increase the performance. Easy to disassemble for maintenance.



5 **WEAR RINGS NEW DESIGN**
With stainless steel core and new lip design that avoids liquid recirculation to increase the performance.




6 **DEFENDER® CAPRARI INTERNATIONAL PATENT**
Ultra-resistance against the corrosion: increases component passivation, protecting the pump from the first moments after the installation.

Capacity up to 48 l/s	Head up to 460 m	Power up to 110 kW	Poles 2
---------------------------------	----------------------------	------------------------------	-------------------



6" - 8"



E10S÷E22S 2/4 poles

caprari


Borehole Electric Mixed Flow pumps 10"÷22"

Ideal for medium-large flow rates and heads, thanks to the high density of models in the range. Coupled with 2 and 4 pole motors, these pumps guarantee performance and market leading efficiencies. The massive structure of the cast iron, bronze and stainless steel components guarantees sturdiness, reliability and long life, even in heavy operating conditions and in the presence of sand.

Thousands of pumps have been installed globally in various sectors: agriculture, water supply, reclamation systems and industrial applications. The high efficiency guarantees great energy and economic savings, fundamental element for pump selection.



10" ÷ 18"




Capacity up to
250 l/s

Head up to
600 m

Power up to
440 kW

Poles
2/4

20" ÷ 22"



Capacity up to
350 l/s

Head up to
130 m

Power up to
295 kW


Poles
4

Borehole Electric Radial pumps 8" - 10"

Ideal for installations at great depths and high heads: design allows pressures up to 770 m to be obtained. Thanks to the limited axial dimensions of the wet-end these pumps are compact and reliable even with a high number of stages.

High quality pumps are designed to last and to ensure peak performance and efficiency under heavy duty operating conditions, even at great installation depths and extremely high heads.

8" - 10"




Capacity up to 37 l/s	Head up to 770 m	Power up to 185 kW	Poles 2
--------------------------	---------------------	-----------------------	------------



MAC Submersible Motors

Made in Italy, rewindable three-phase asynchronous motors, water filled for perfect cooling and safe lubrication. 2/4 poles, 50/60 Hz motor, IP68 protection degree, power up to 440 kW three-phase, flanging according to NEMA6-8 standards and drinking water certification. Also available in shaft key version. High efficiency and performances provide sustained economic and energy savings. Caprari design and patents are a guarantee of quality and reliability over time. The exclusive electrical project, result of Caprari know-how, provides ideal operating efficiency both in deep wells and in industrial and aqueduct applications. They are available in different materials and with PE2+PA windings for applications with hot water or inverter.



MOTOR PROTECTOR®
CAPRARI INTERNATIONAL PATENT
Pump-motor coupling protection:
the area is sealed to protect the coupling
and the mechanical seal of the motor from sand.



STAINLESS STEEL SHAFT
The best mechanical
and corrosion resistance.
Made in duplex for full
stainless steel versions.
Available in shaft key version.



SIC/SIC MECHANICAL SEAL
Ideal for liquids with a high sand content.
Exceptional resistance to high temperatures.



LINE BEARINGS
Self-lubricating composite material
guarantees high resistance and precision
of alignment both in working conditions
and during motor handling.




CASTING BRACKETS
Cast iron massive components are produced
by casting process. Guarantee of robustness.
Made in stainless steel for full stainless steel
versions.



WINDINGS
in PVC (green wire) lead-free
environmental-friendly and in PPC,
reliable and durable.

High resistance to:

- intermittent operation
- high voltage spikes
- high frequency switching (VFD)
- overheating



STATOR
In stainless steel AISI 316, standard
also in cast iron motors.
The best solution against corrosion.



HT THRUST BEARING®
CAPRARI INTERNATIONAL PATENT

- extreme reliability and strong resistance
to the axial thrust up to 70.000N.
- wide safety-margin against axial thrust
generated by wet-ends.

MAC 6"÷14"

caprari



PERFORMANCE

Highest efficiency thanks to stack and motor length.
Highest rpm values increase the wet-end performances.

2 POLES

Frequency
37 Hz

Power up to
440 kW

4 POLES

Frequency
50-60 Hz

Power up to
295 kW

HT Bearing


for MAC 6 | MAC 8 | MAC 10

Caprari International Patent

UP TO 45.000 N

UP TO 50.000 N

UP TO 70.000 N



CPLUS Submersible Motors

CPLUS motors are the best driving solutions for submersible electric pumps driven by VSD (Variable Speed Drive) even in critical liquid temperature conditions. The windings come with a double insulating layer and the technical upgrades make the CPLUS motors even more robust and reliable.


MPC 6"÷10"

caprari

EASYWELL
PUMPS & MOTORS

EASYWELL Submersible Motors

Caprari's new generation of rewindable water filled submersible motors are designed to be reliable, flexible and cost-effective. EASYWELL motors are designed according to market leading standards and are manufactured in an ISO 9001 Caprari certified plant. EASYWELL series are 100% tested.



FULL INOX AISI 316: MPCW

Resistant to chemical corrosion
and stray currents



HOT WATER: /K

Windings with double insulating layer
for use in applications with hot water
up to 50°C
(Please contact our sales organisation)



POWER CABLES
1 flat multipolar cable for MPC6
and 3 unipolar round cables
for MPC8 and MPC10.




STAINLESS STEEL SHAFT
High mechanical and chemical aggression resistance:
guarantee of strength and reliability.



SIC/SIC MECHANICAL SEAL
Excellent wear resistance even in the presence of liquids
with abrasive contents. High resistance to thermal shocks
and chemically aggressive agents. High thermal conductivity
that allows dissipation of the heat produced during operation.
Easily available on the market.



LINE BEARINGS
Made of graphite-based self-lubricating
composite material; high robustness and precision
of alignment both in working conditions
and during transport/handling.



ELECTRIC PERFORMANCE
The copper rotor and the large-sized stacks
ensure excellent and premium efficiencies.

WINDINGS
Engineered for inverter and intermittent operation,
high voltage spikes and overheating.



THRUST BEARING

- extreme reliability and strong resistance
to the axial thrust up to 65.000N.
- wide safety-margin against axial thrust
generated by wet-ends.



pumping power



Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Россия +7(495)268-04-70

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Казахстан +7(727)345-47-04

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Беларусь +(375)257-127-884

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Узбекистан +998(71)205-18-59

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Киргизия +996(312)96-26-47

<https://caprari.nt-rt.ru> || cir@nt-rt.ru